

# INDEX MAPS.

## T.13N R.1W 2<sup>nd</sup> Mer.

	426		426		426		426		425		425
428	6	453	5	448	4	443	3	438	2	433	1 425
	453		452		448		443		438		433
428	7	452	8	447	9	443	10	437	11	432	12 424
	454		451		447		442		437		432
428	18	451	17	447	16	442	15	436	14	431	13 424
	454		451		446		441		436		431
427	19	450	20	446	21	441	22	436	23	431	24 424
	454		450		445		440		435		430
427	30	449	29	445	28	440	27	435	26	430	25 423
	455		449		444		439		434		429
427	31	449	32	444	33	438	34	434	35	429	36 423
	422		422		422		421		421		421

## T.14N R.1W 2<sup>nd</sup> Mer.

	463		462		462		461		461		461	
465	6	488	5	482	4	478	3	474	2	469	1	460
	<del>488</del>		<del>487</del>		<del>482</del>		<del>477</del>		<del>473</del>		<del>469</del>	
464	7	487	8	481	9	477	10	473	11	468	12	460
	<del>486</del>		<del>486</del>		<del>481</del>		<del>477</del>		<del>472</del>		<del>468</del>	
464	18	486	17	481	16	476	15	472	14	467	13	460
	<del>485</del>		<del>485</del>		<del>480</del>		<del>476</del>		<del>471</del>		<del>467</del>	
463	19	485	20	480	21	475	22	471	23	467	24	459
	<del>484</del>		<del>484</del>		<del>479</del>		<del>475</del>		<del>471</del>		<del>466</del>	
463	30	484	29	479	28	475	27	470	26	466	25	459
	<del>483</del>		<del>483</del>		<del>478</del>		<del>474</del>		<del>470</del>		<del>465</del>	
463	31	482	32	478	33	474	34	470	35	465	36	458
	<del>458</del>		<del>458</del>		<del>457</del>		<del>457</del>		<del>457</del>		<del>457</del>	

The figures on the lines refer to the page.

Township No 14 North Range No 1 West 2nd Mer. (Qua-  
ch. 18r.

South Boundary. Var. 550'  $\frac{1}{2}$

West On the South Boundary of Sec. 36. T. N. 14 N. R. N. 17 W.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Puck 18 in. dia. beam N 34 W 6 miles dist; & a

Do 27 " " " S 16 W 37 " "

44.00 To a Puck N 12 miles dist; corner N.

80.00 Set a post for the cor. to Sec. 35 & 36. T. N. 14 N.  
R. N. 17 W. from which a

Puck 10 in. dia. beam N. 5 W. 16 miles dist; & a

Puck about 24 " " " S 60 E. 13 " "

Land level and good for farming; some part  
rather wet; Timber Puck, Sugar, Ash, Pop-  
lar & c.

West On the South Boundary of Sec. 35. T. N. 14 N. R. N. 17 W.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Puck 14 in. dia. beam S 9 E. 21 miles dist; & a

Do 14 " " " N 65 W 30 " "

80.00 Set a post for the cor. to Sec. 34 & 35. T. N. 14  
N. R. N. 17 W. from which a

Puck 24 in. dia. beam N 68 E. 6 miles dist; & a

Do 15 " " " S 59 W 46 " "

Land similar to the last mile; part rather wet;

West On the South Boundary of Sec. 34. T. N. 14 N. R. N. 17 W.

40.00 To a W. Oak 60 in dia which stands for the cor. to  $\frac{1}{4}$   
section

48.00 To a Puck 10 miles dist; corner S.

80.00 Set a post for the cor. to Sec. 33 & 34. T. N. 14 N.  
R. N. 17 W. from which a

Puck 20 in. dia. beam N 66 W. 28 miles dist; & a

Do 10 " " " N 44 E 17 " "

Land level and good for farming; Timber  
same as on the last mile;

West On the South Boundary of Sec. 33. T. N. 14 N. R. N. 17 W.



T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 17. Q<sup>uo</sup> Mer. Ind.<sup>a</sup>

- 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Symp 14 in dia. bore S 28 E. 13 miles dist; to  
 Bench 9 " " " N 58 W. 18 " "  
 80.00 Set a post for the cor. to cor. 32, 33. T. N<sup>o</sup> 14 N.  
 R. N<sup>o</sup> 17. From which a  
 Bench 30 in. dia. bore N 64 E. 15 miles dist; to  
 Ho 27 " " " S 85 W. 28 " "  
 Sande Soil and timber similar to the last mile.

- West On the S. Boundary of Sec. 32. T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 17.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Bench 10 in. dia. bore N 67 W. 12 miles dist; to  
 Ho 12 " " " S 67 E. 19 " "  
 80.00 Set a post for the cor. to cor. 31 & 32. T. N<sup>o</sup> 14 N.  
 R. N<sup>o</sup> 17. From which a  
 Bench 18 in. dia. bore N 11 W. 27 miles dist; to  
 Ho 18 " " " S 11 W. 3 " "  
 Sande Soil timber to same as on the West side;

- West On the South Boundary of sec. 31. T. N<sup>o</sup> 14 N.R.  
 N<sup>o</sup> 17.  
 32.00 To a Brook 8 miles wide; hence N.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Bench 9 in. dia. bore North 11 miles dist; to  
 Bench 24 " " " South 7 " "  
 68.08 Intersection the N & S line 90 miles South of the  
 post set for the temp<sup>y</sup> cor. to Towns 14. 14. &  
 15. 15 N.R. 1 & 2 W.

### East Boundary Var. 6° 10' 104

- June 23<sup>d</sup> 1819.  
 North On the 2<sup>nd</sup> Mer. on the East Boundary of sec. 36. T.  
 N<sup>o</sup> 14 N.R. N<sup>o</sup> 17  
 5.00 To a Brook 3 miles wide; hence W.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Bench 10 in. dia. bore S 66 E. 19 miles dist; to

459

T. N. 14 N. R. N. 17. 2<sup>nd</sup> Mer. (Ind. &)

Trunk 12 in. dia. bears N 66 W. 6 miles dist; to  
 47.50 To a Brook 20 miles wide; course E.  
 70.00 To a spring branch 3 miles wide; course E.  
 80.00 Set apart for the cor. to sec. 25. & 36 T. N. 14 N.  
 R. N. 17 from which a  
 Trunk 12 in. dia. bears S 77. 14 miles dist; to  
 Do 12 " " " N 34 E. 25 " "  
 Lands lies rolling; Timber Birch, ash, Sugar,  
 Bushes &c.

---

North On the 2<sup>nd</sup> Mer. on the East Bound of sec. 25. T.  
 N. 14 N. R. N. 17.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Trunk Ash 8 in. dia. bears N 69 E. 3 miles dist; to  
 Do Do 4 " " " S 39 W. 10 " "  
 80.00 Set apart for the cor. to sec. 24. & 25. T. N. 14 N.  
 R. N. 17. from which a  
 Trunk 20 in. dia. bears S 65 E. 25 miles dist; to  
 N. Ash 9 " " " S 88 W. 10 " "  
 Lands level and good for farming; Land 2<sup>nd</sup>  
 rate; Timber Same as on the last mile;

---

North On the 2<sup>nd</sup> Mer. on the East Bound of sec. 24 T.  
 N. 14 N. R. N. 17.  
 2.00 To a Brook 10 miles wide; course E.  
 40.00 Set apart for the cor. to 1/4 sec. from which a  
 Trunk 12 in. dia. bears S 77 W. 18 miles dist; to  
 Do 24 " " " N 4 W. 24 " "  
 45.00 To a Brook 10 miles wide; course E.  
 54.00 To a B. Oak 15 in. dia. stands in the line.  
 80.00 Set apart for the cor. to sec. 13. & 24 T. N. 14 N.  
 R. N. 17. from which a  
 Trunk 18 in. dia. bears S 19 E. 34 miles dist; to  
 Do 18 " " " N 37 W. 12 " "  
 Lands rolling and good for farming 2<sup>nd</sup>  
 rate; Timber Poplar, Oak, 2<sup>nd</sup> rate;

T. No 14 N.R. No 17. 2<sup>nd</sup> Mer. Inda  
 Thick Spire Undergrowth.

North On the 2<sup>nd</sup> Mer. on the East Boundary of Sec. 13. N.  
 R. No 17.

38.50 Log Brook 5 miles mid; Course E.

41.00 Set apart for the cor. to 1/4 Sec. from which a  
 W. Oak 24 in. dia. bears S 14 N 14 miles dist; to  
 W. Oak 9 " " " N 15 E. 17 " "

67.50 Log Brook 15 miles mid; Course E.

80.00 Set apart for the cor. to Sec. 12. & 13. T. No 14 N.  
 R. No 17. from which a

9 in. dia. bears S 7 E 19 miles dist; to  
 S Oak 99 " " " S 57 W 30 " "  
 Lands similar to the last mile; rich and good  
 for farming timber same as on the last mile;

North On the 2<sup>nd</sup> Mer. on the East Boundary of Sec. 12

35.00 Log Brook 5 miles mid; Course S East. Stand  
 ing water;

40.00 Set apart for the cor. to 1/4 Sec. from which a  
 Elm 18 in. dia. bears S 19 E. 19 miles dist; to  
 Elm 18 " " " North 19 " "

80.00 Set apart for the cor. to Sec. 1. & 12. T. No 14 N.  
 R. No 17. from which a

Beech 12 in. dia. bears S 53 W. 26 miles dist;  
 do 8 " " " S 86 E. 15 " "  
 Lands soil timber to same as on the last mile.

North On the 2<sup>nd</sup> Mer. on the East Boundary of Sec. 1.  
 T. No 13 N.R. No 17.

30.00 Log Brook 10 miles mid; Course E.

40.00 Set apart for the cor. to 1/4 Sec. from which a  
 W. Oak 18 in. dia. bears S 60 E. 39 miles dist; to  
 Sugar 18 " " " N 52 W 7 " "

65.00 Log Brook 8 miles mid Course E.

80.00 Set apart for the cor. to Sec. 1. 6, 31. & 36. T. No 14, 14

T. N. 14 N. R. 1 W. 2<sup>nd</sup> Mer (Ind. a)

+ 15.15 N. 1 E. + 1 W. from which a  
W Oak 18 mi. air base N 50 W 9 miles dist; to  
Beck 10 " " " S 74 E. 28 " "  
Lands are and timber same as on the last mile

North Boundary Var. 550' 107

West On the South Boundary of sec. 36, T. N. 15 N. R. N. 1 W.

38.50 To a Brook 6 miles wide; corner N. E.

40.00 Set a post for the cor. to 1/4 sec. from which a  
W Oak 9 mi. air base S 5 E 17 miles dist; to  
Beck 24 " " " N 20 W 29 " " "

80.00 Set a post for the cor. to sec. 35 & 36, T. N. 15  
N. R. N. 1 W. from which a

Beck 5 mi. air base S 24 W. 9 miles dist; to  
Sugar 9 " " " N 50 E 21 " "  
Lands rolling & good for farming; Timber  
Sugar Oak, Ash &c

West On the South Boundary of sec. 35, T. N. 15 N. R. N. 1 W.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Sugar 5 mi. air base S 32 E 4 miles dist; to  
Sugar 18 " " " N 19 W 41 " " "

80.00 Set a post for the cor. to sec. 34 & 35, T. N. 15 N.  
R. N. 1 W. from which a

Sugar 24 mi. air base N 33 E. 40 miles dist;  
Beck 6 " " " S 2 W. 8 " "  
Lands flat timber so same as on the last mile

June 24. 1819

West On the South Boundary of sec. 34, T. N. 15 N. R. N. 1 W.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Beck 9 mi. air base N 70 W. 10 miles dist; to  
Ho 8 " " " S 21 E. 16 " " "







T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 17. 2<sup>nd</sup> Mer (In a.)  
ing; Timber Oak, Beech, Sugar etc.

- 
- West On the South Boundary of Sec. 31. T. N<sup>o</sup> 14 N.  
R. N<sup>o</sup> 17.  
40.00 Set a post for the cor. to 1/4 Sec. from which a  
Hickory 11 in. dia bears N 63 E. 14 links dist; to  
do 4 " " " S 67 W. 23 " "  
65.34 Intersect the N. 18 line 194 links south of the  
troughy Iron cor. Sand soil timber etc.
- 

### West Boundary

109

- North On the East Boundary of Sec. 36. T. N<sup>o</sup> 14 N.  
R. N<sup>o</sup> 2 W.  
27.00 To a Brook 30 links radi; course S. W.  
40.00 Set a post for the cor. to 1/4 Sec. from which a  
Hickory 20 in. dia bears N 87 W. 13 links dist;  
Beech 10 " " " S 71 E. 18 " "  
80.00 Set a post for the cor. to Sec. 25, 36. T. N<sup>o</sup> 14  
N.R. N<sup>o</sup> 2 W. from which a  
B. Ash 5 in. dia bears West 2 links dist; to  
B. Ash 4 " " " N 87 E. 24 links dist;  
Sand soil and good size; rather wet;  
Timber Oak Elm Hickory and Ash.
- 

- North On the East of Sec. 25 T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 2 W.  
40.00 Set a post for the cor. to 1/4 Sec. from which a  
W Beech 5 in. dia bears S 63 E. 10 links dist; to  
Ash 4 " " " N 10 W 10 " "  
80.00 Set a post for the cor. to Sec. 24 & 25 T. N<sup>o</sup> 14  
N.R. N<sup>o</sup> 2 W. from which a  
Elm 36 in. dia bears N 64 W 13 links dist;  
Hickory 15 " " " S 62 W. 24 " "  
Land similar
- 

- North On the East Boundary of Sec. 24. T. N<sup>o</sup> 14 N.R.  
N<sup>o</sup> 1 W.

T. No 14 N. H. No 17. 2<sup>nd</sup> Mer. Ind.<sup>c</sup>

- 40.00 Set apart for the cor. to 14 sec. from which a  
 Hickory 12 in. dia. beam S 32 N. 23 miles dist;  
 Buck 10 " " " N 14 E. 43 " "
- 53.00 To a Brook 8 miles wide; Course E.
- 80.00 Set apart for the cor. to sec. 13 & 14 T. No 14  
 N. H. No 2 N. from which a  
 Log 27 in. dia. beam N 23 N. 25 miles dist;  
 Buck 9 " " " S 55 E. 16 " "
- Sandy soil rolling and part level; Timber  
 Oak, Buck, Ash, and Log. Poplar &c  
 Land good for farming; 2<sup>nd</sup> Mer.

North on the East Boundary of sec. 13. T. No 14 N.  
 H. No 2 N.

- 21.00 To a Brook 19 miles wide; Course E.
- 40.00 Set apart for the cor. to sec. 14 from which a  
 Hickory 18 in. dia. beam S 52 N. 8 miles dist;  
 Do 12 " " " N 4 E. 35 " "
- 80.00 Set apart for the cor. to sec. 12 & 13 T. No  
 14 N. H. No 2 N. from which a  
 Log 8 in. dia. beam S 45 N. 28 miles dist;  
 Buck 18 " " " N 38 E. 39 " "
- Sandy soil timber to some an inferior sort.

North on the East Boundary of sec. 12. T. No 14 N.  
 H. No 2 N.

- 40.00 Set apart for the cor. to 14 sec. from which a  
 Buck 18 in. dia. beam N 84 E. 37 miles dist;  
 Do 20 " " " N 22 N. 24 " "
- 65.00 To a Brook 8 miles wide; Course N.
- 80.00 Set apart for the cor. to sec. 1 & 13 T. No 14  
 N. H. No 2 N. from which a  
 Buck 21 in. dia. beam S 50 E. 17 miles dist; to  
 Do 27 " " " N 20 N. 25 " "
- Sandy soil and rich and good for farming

T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 177. 2<sup>nd</sup> Mer. Ind<sup>a</sup>.

North On the East Branch of the T. N<sup>o</sup> 14 N.  
N. N<sup>o</sup> 177.

7.00 To a Brook 8 miles wide; Course N.

40.00 Set apart for the cor. to 14<sup>th</sup> Sec. from which a  
Brook 10 mi. dia. bears S 26 E. 9 miles dist; to  
Hicks 6 " " " N 70 W 25 " "

78.00 To the West lot for the cor. to Sec. 1, 6, 31, & 36  
T. N<sup>o</sup> 14, 14, & 15, 15. N.R. N<sup>o</sup> 1 & 2 77. From  
which a Brook 10 mi. dia. bears N 83 W. 37 miles  
dist; to Hicks 14 " " " S 74 E. 40 "  
Same Run as the last one.

Surveyed by  
William Harris L.S.

### Subdivisions

North Between Sec. 35, & 36. T. N<sup>o</sup> 14. N.R. N<sup>o</sup> 177.

21.76 To a W. Oak. 30 mi. dia. stand in the line.

40.00 Set a post for the cor. to 14<sup>th</sup> Sec. from which a  
Brook 24 mi. dia. bears S 33 E. 32 miles dist;  
to 12 " " " N 1 E. 27 " "

64.24 To a Brook 24 mi. dia. bear in the line.

80.00 Set apart for the cor. to Sec. 25, 26, 35, 36.  
from which a Brook 20 mi. dia. bears N 75 E 20  
miles dist; to Do 14 " " " S 71 W 17 "  
" " " Same soil and rock; Timber Brook  
Sugar Oak, and Ash; No. 1 of the long-  
est Run in the country

East On a Random line between Sec. 25, & 36. T. N<sup>o</sup>  
14 N.R. N<sup>o</sup> 177.

40.00 Set a temporary post for the cor. to 14<sup>th</sup> Sec. of

32.25 To a Brook 16 miles wide; Course S.

79.40 Intersected the 2<sup>nd</sup> Mer. 120 miles N. of the  
post set for the cor. to Sec. 25, & 36.  
Same soil timber & No. 1 Run as on the last  
mile;

T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 177. 2<sup>nd</sup> & 7<sup>th</sup> Sec. 36.

West On the true line between Sec. 25, 136 T. N<sup>o</sup> 14 N.  
R. N<sup>o</sup> 177.

39.70 Set the temporary post at the corner west on the true  
line for the cor. to 1/4 sec. from which a  
Cherry 36 in. air line S 25 N. 28 links each; do  
Tree 28 " " " N 59 E. 27 " "

North Between Sec. 25, & 26. T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 177.

18.00 To a Tree 18 in. air. Stands on the line.

37.00 To a Brook 6 links wide; corner S. E.

44.00 Set a post for the cor. to 1/4 sec. from which a  
Tree 20 in. air line S. 50 N. 34 links each;

do 36 " " " N 67 E. 25 " "

54.50 To a N. Elm 30 in. air. Stands on the line.

80.00 Set a post for the cor. to Sec. 23, 24, 25, 26  
T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 177 from which a

Tree 20 in. air line S 42 N. 16 links each

do 15 " " " N 1 E. 13 " "

Land here and rich. Timber Tree Sugar  
Oak &c. N. J. Spruce & plenty.

East On a Random line between Sec. 24 & 25. T. N<sup>o</sup>  
14 N.R. N<sup>o</sup> 177.

22.00 To a Brook 8 links wide; corner S.

44.00 Set a temporary post for 1/4 sec. cor.

79.24 Enter into the 2<sup>nd</sup> Mer 177 miles N. of the  
post set for the cor. to Sec. Set for the cor. to  
Sec. 24 & 25. T. N<sup>o</sup> 14 N. R. N<sup>o</sup> 177.

Land and timber as before

West On the true line between Sec. 24 & 25. T. N<sup>o</sup>  
14 N.R. N<sup>o</sup> 177.

39.63 Set the temporary post at the corner west on  
the true line for the cor. to 1/4 sec. from which  
Tree 14 in. air line N 40 N. 14 links each

do 30 " " " S 7 E. 14 " "



T. No 14 N.R. No 1 W. 2<sup>nd</sup> Mer. Ind.

79.26 To the first set for the cor. to lat. 23, 24, 25, & 26

North Between Lat. 23 & 24 T. No 14 N.R. No 1 W.

11.50 To a W. lat 28 mi. air stands in the line.

140.00 Set a post for the cor. to 1/4 sec. from where a  
Buck 24 mi. air bears S 89 W 30 miles dist;  
Do 10 " " " S 31 E 22 " "

56.83 To a W. lat 40 mi. air stands in the line

80.00 Set a post for the cor. to lat. 13, 14, 23, & 24 T.  
No 14 N.R. No 1 W. from where a  
Sugar 12 mi. air bears S 83 W 24 miles dist; to  
Do 18 " " " N 55 W 16 " "  
Sund. soil and timber same as on the last  
mile;

East On a random line between Lat. 13 & 24. T. No  
14 N.R. No 1 W.

46.00 Set a temporary post for the cor. to 1/4 sec.

79.18 Intersection the 2<sup>nd</sup> Mer. 260 miles N. of the  
first set for the cor. to lat. 13 & 24 T. No 14  
N.R. No 1 W. Sands hard and rich; Timber  
Buck, Sugar, Oak, Poplar, & W. Spruce.

West On the true line between Lat. 13 & 24. T. No 14  
N.R. No 1 W.

39.59 Set the temporary post at the above dist on the true  
line for the cor. to 1/4 sec. from where a  
Buck 30 mi air bears N 27 E. 34 miles dist;  
Do 36 " " " S 88 W 32 " "  
Only 2<sup>nd</sup> 1820.

North Between Lat. 13 & 14. T. No 14 N.R. No 1 W.

25.00 To a Spring branch course N. E.

28.24 " " Do " " " S. E.

28.54 " " Sugar 13 mi. air stands in the line.

40.00 Set a post for the cor. to 1/4 sec from where a



T. N. 14 N. R. N. 1 W. 2nd Mer.

Beck 24 in. air band N 75 W. 14 links dist  
 W. Oak 12 " " " N 51 E. 26 " "  
 69.08 To a Poplar 28 in. air. band in the line.  
 80.00 Set a post for the cor. to sec. 11, 12, 13, 14 from  
 which a T. B. W. about 12 in. air. band at 21 W.  
 32 links dist; from W. Oak 24 in. air. band  
 N 84 E. 28 links dist; Lands level and soil  
 Timber Beck Sugar Oak & Poplar; No  
 spin

West On the true line between sec. 13 & 24 T. N. 14  
 N. R. N. 1 W.

39.59 Set the temporary post at the corner dist; on the  
 true line for the cor. to 1/4 sec. from which a

East On a Random line between sec. 12 & 13, T. N. 14  
 N. R. N. 1 W.

40.00 Set a temporary post for the cor. to 1/4 sec.

45.60 To a Birch 6 links near; corner S. E.

79.06 Intersected the 2nd Mer. 340 links North of  
 the post set for the cor. to sec. 12, 13, T. N. 14 N.  
 R. N. 1 W. Lands a little rolling; Timber  
 same as on the last mile;

West On the true line between sec. 12 & 13, T. N. 14  
 N. R. N. 1 W.

39.53 Set the temporary post at the corner dist on the true  
 line for the cor. to 1/4 sec. from which a

Beck 15 in. air. band S 73 E. 33 links dist; to

Go 10 " " " " S 48 W. 12 " "

79.06 To the post set for the cor. to sec. 11, 12, 13 & 14

North Between sec. 11 & 12 T. N. 14 N. R. N. 1 W.

17.15 To a Beck 14 in. air. band in the line

40.00 Set a post for the cor. to 1/4 sec. from which  
 Beck 30 in. air. band N 73 W. 34 links dist;



T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 17. 2<sup>nd</sup> Mer. Quad.  
 Lands same as in the last mile; July 3<sup>rd</sup> 1820.

North Between Sect. 34 & 35. T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 17.  
 24.93 To a Buck 18 mi. air stands on the line.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which  
 Sugar 10 mi. air. bears S 31 W. 21 links dist;  
 Buck 20 " " " N 88 E. 38 " "  
 62.24 To a W. Ash 12 mi. air stands on the line.  
 80.00 Set a post for the cor. to Sect. 26, 27, 34, & 35.  
 from which a Buck 16 mi. air bears N 81 E 16  
 links dist; to do 16 " " " S 20 W 26  
 " " Lands here much cut; Timber  
 Buck, Sugar Ash, Elm &c. Wood? Spruce

East On a Random line between Sect. 26 & 35. T.  
 N<sup>o</sup> 14 N.R. N<sup>o</sup> 17.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec. from  
 79.50 Intersect the N 83 line 56 links N. of the post set  
 for the cor. to Sect. 25, 26, 35, & 36.  
 Lands and timber same as in the last mile;

West On the true line between Sect. 26 & 35. T. N<sup>o</sup> 14 N.R.  
 N<sup>o</sup> 17.  
 39.75 Set the temporary post at the corr. dist on the true line  
 for the cor. to  $\frac{1}{4}$  sec. from which an  
 Elm 30 mi. air bears N 89 W. 9 links dist; to  
 W Ash 12 " " " N 6 E. 21 " "  
 79.50 To the post set for the cor. to Sect. 26, 27, 34, & 35

North On the true line between Sect. 26 & 27. T. N<sup>o</sup> 14 N.R.  
 N<sup>o</sup> 17.  
 15.15 To a Buck 15 mi. air stands on the line.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Sugar 20 mi. air. bears S 37 W. 24 links dist to  
 Buck 28 " " " N 23 E. 20 " "

## T. N. 14 N.R. N. 17. 2nd Mer. (Ind. 9)

- 60.00 To a N. Ash 40 mi. dist. Stands in the line.  
 80.00 Set a post for the cor. to Sec. 22, 23, 26, 27 from which  
 a Buck 14 mi. dist. bears N 84 W. 13 miles dist; to  
 No. 30 " " " S 42 E. 22 " "  
 Same soil and timber; Timber same as in the last  
 mile;

- East On a Random line between Sec. 23. & 26.  
 40.00 Set a post (temp.) for the cor. to 1/4 Sec.  
 48.00 To a Spring branch; thence S.E.  
 79.50 Enter into the N. & S. line 52 miles N of the post  
 set for the cor. to Sec. 23, 24, 25, & 26.  
 Same, soil, timber as before.

- West On the true line between Sec. 23 & 26. T. N. 14  
 N.R. N. 17.  
 39.76 Set the temporary post at the corr. dist; on the true  
 line for the cor. to 1/4 Sec. from which a  
 Buck 30 mi. dist. bears S 87 W. 5 miles dist; to  
 No. 30 " " " S 45 E. 49 " "  
 To the post set for the cor. to Sec. 22, 23, 26, 27

- North Between Sec. 22, & 23. T. N. 14 N.R. N. 17.  
 22.57 To a Buck 15 mi. dist. bears in the line.  
 40.00 Set a post for the cor. to 1/4 Sec. from which a  
 N. Ash 12 mi. dist. bears N 67 W. 18 miles dist; to  
 Sugar 10 " " " S 57 E. 21 " "  
 61.00 To a Buck 18 mi. dist. Stands in the line;  
 80.00 Set a post for the cor. to Sec. 14, 15, 22, & 23. from  
 which a Poplar 12 mi. dist. bears N 30 E. 17 miles  
 dist; to Buck 20 " " " S 22 W. 16 "  
 No description July 5. 1820. on Monday

- East On a Random line between Sec. 14. & 23. T. N. 14. N.  
 N.R. N. 17.  
 40.00 Set a temporary post for the cor. to 1/4 Sec.



T. N. 14 N. R. N. 17. 2<sup>nd</sup> Mer. (Ind. Co.)

79.43 Intersect the N-S line 55 miles North of the  
post set for the cor. to sec. 13. 14. 23. & 24.  
Sandy soil ends with; Timber Beech Sugar and  
Poplar Ash and Oak,

West On the true line between Sec. 14. & 23. T. N. 14  
N. R. N. 17

39.72 Set the temporary post at the corner on the true line  
for the cor. to 1/4 sec. from which a  
Sugar 18 in. dia. bears N 64 W. 25 miles dist; to  
Beech - " " " S 37 E. 21 " "  
July 5<sup>th</sup> 1820.

79.43 To the post set for the cor. to sec. 14. 15. 22 & 23.

North Between Sec. 14 & 15. T. N. 14 N. R. N. 17.

6.00 To a Brook 6 miles wide; Course N.

16.06 To a Sugar 20 in. dia. Stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Beech 18 in. dia. bears S 31 W. 8 miles dist; to  
N. Oak 30 " " " N 48 E. 27 " "

49.00 To a Brook 6 miles wide; Course West.

69.97 To a N. Elm 14 in. dia. Stands in the line.

80.00 Set a post for the cor. to sec. 10. 11. 14. 15. from  
which a N Oak 10 in. dia. bears N 67 E. 5 miles  
dist; to N Oak 12 " " " N 69 W. 17 " "  
No description

East On a random line between Sec. 11. & 14 T. N. 14 N.  
R. N. 17.

40.00 Set a temporary post for the cor. to 1/4 sec.

79.44 Intersect the N-S line 60 miles N. of the post  
set for the cor. to sec. 11. 12. 13. & 14.

Sandy soil ends timber same as on the last mile;

West On the true line between Sec. 11 & 14 T. N. 14 N. R.  
N. 17.



T. N<sup>o</sup> 14 N. R. N<sup>o</sup> 177. 2<sup>nd</sup> Mrs (S. A. C.)

- 39.72 Set the temporary post at the cross ditch on the true line  
for the cor. to 1/4 sec. from which a  
T. Bench 18 in. dia. bears N 34 W. 18 miles dist; to  
No 12 a a a S 74 E. 25 a a  
79.44 To the post set for the cor. to sec. 10. 11. 14. & 15
- 

North Between Feb. 10. & 11. T. N<sup>o</sup> 14 N. R. N<sup>o</sup> 177.

14.75 To a W. Oak 30 in. dia. stands on the line.

40.00 Set a post for the cor. to 1/4 sec. from which a  
T. Bench 12 in. dia. bears S 39 W. 21 miles dist; to  
W. Oak 24 a a a N 54 E. 15 a a

59.07 To a Sugar 18 in. dia. stands on the line.

80.00 Set a post for the cor. to sec. 2, 3, 10. & 11. T. N<sup>o</sup>  
14 N. R. N<sup>o</sup> 177. from which a

T. Bench 10 in. dia. bears S 43 E. 11 miles dist; to  
Sugar 18 a a a N 51 W. 45 a a

Land level and rich; Timber Bench Sugar &  
Oak; Ash Walnut, and Poplar; No Spruce  
& Paw-paw.

---

East On a random line between Feb. 2 & 11. T. N<sup>o</sup> 14 N. R.  
N. R. N<sup>o</sup> 177

40.00 Set a temporary post for the cor. to 1/4 sec.

79.52 Enter between the N. & S. line 61 miles N. of the post.  
Set for the cor. to sec. 1. 2. 11. 12. Land a little  
rolling and rich; Timber same as on the last  
mile;

---

West On the true line between Feb. 2 & 11. T. N<sup>o</sup> 14 N. R.  
N. R. N<sup>o</sup> 177.

39.76 Set the temporary post at the cross ditch; on the true line  
for the cor. to 1/4 sec. from which a

W. Oak, 48 in. dia. bears N 35 W. 22 miles dist; to  
Sugar 18 a a a S 56 W. 17 a a

79.52 To the post set for the cor. to sec. 2. 3. 10 & 11

---

## T. N. 14 N. R. N. 17. 2nd Mer. (Ind. 2)

- North Return Sec. 2 & 3. T. N. 14 N. R. N. 17.  
 17.11 Iron Lignite 12 in. dia. Stands in the line.  
 40.00 Set a post for the cor. to 14 sec. From which a  
 W Oak 20 in. dia. bears S 80 W. 27 miles dist; to  
 Buckeye 14 " " " N 82 E. 50 " "  
 39.61 Goat Buck 30 in. dia. Stands in the line.  
 75.19 Enter into the North Boundary of T. N. 14 N.  
 R. N. 17. 6 1/2 miles East of the Post let for  
 the cor. to Sec. 34 & 35. T. N. 15 N. R. N. 17. &  
 set a post for the cor. to Sec. 2, & 3. From which a  
 Lignite 24 in. dia. bears N 53 W. 55 miles dist;  
 Buckeye 10 " " " S 65 E. 62 " "  
 Lands well wooded; Timber same as on the  
 last mile; Subj. C. 1820

- North Return Sec. 33 & 34 T. N. 14 N. R. N. 17.  
 17.50 Iron W. Oak 18 in. dia. Stands in the line.  
 40.00 Set a post for the cor. to 14 sec. From which a  
 Buck 20 in. dia. bears N 77 W. 17 miles dist; to  
 " " " " " S 66 E. 43 " "  
 58.06 Goat Buck 12 in. dia. Stands in the line.  
 80.00 Set a post for the cor. to Sec. 27, 28, 33 & 34 T.  
 N. 14 N. R. N. 17. From which a  
 W. Oak 60 in. dia. bears N 23. E 32 miles dist; to  
 Buck 20 " " " N 89 W. 42 " "  
 Lands well wooded; Timber Buck, Oak,  
 Oak, &c. (M. J. Spivey)

- East On a Random line between Sec. 27 & 34. T. N. 14  
 N. R. N. 17.  
 40.00 Set a temporary post for the cor. to 14 sec.  
 79.60 Enter into the N. 18 line 56 miles N. of the Post  
 set for the cor. to Sec. 27, 28, 33 & 34.  
 Lands well wooded & good for farming; Timber  
 same as on the last mile;

475

*I No 14 N.R. No 17. 2nd (Mn. Ind.)*

*West* On the true line between lat. 27. & 34. *I. No 14 N. N.R. No 17*  
 39.80 Set the temporary post at the corner dish on the true line for the corner to be seen from which  
 W. Ash 20 mi. dist bears N 17. 13 miles dist to  
 West 12 " " " N 20 W. 1 " "  
 79.60 To the post set for the cor. to lat. 27, 28, 33, & 34

---

*North* Between lat. 27. & 28 *I. No 14 N.R. No 17.*  
 40.00 Set a post for the cor. to be seen from which  
 West 20 mi. dist bears N 31 W. 35 miles dist; to  
 Do 18 " " " S 16 E. 22 " "  
 56.92 To a post 18 mi. dist. stands in the line.  
 80.00 Set a post for the cor. to lat. 22, 27, & 28  
*I. No 14 N.R. No 17.* from which  
 West 20 mi. dist bears N 31 W. 24 miles dist; to  
 Do 20 " " " S 2 E. 31 " "  
 Same soil timber & same as on the last mile

---

*East* On a Random line between lat. 22, & 27. *I. No 14 N.R. No 17.*  
 40.00 Set a temporary post for the cor. to be seen.  
 79.56 Intersected the N. & S. line 55 miles N of the post set for the cor. to lat. 22, 23, 26, & 27  
 Same soil and timber same as on the last mile

---

*West* On the Random line between lat. 22, & 27. *I. No 14 N.R. No 17.*  
 39.72 Set the temporary post at the corner dish on the true line for the cor. to be seen from which  
 West 18 mi. dist bears S 18 E. 18 miles dist; to  
 Do 14 " " " N 28 W. 40 " "  
 79.56 To the post set for the cor. to lat. 21, 22, 27, & 28.

---

*North* Between lat. 21. & 22 *I. No 14 N.R. No 17.*  
 17.52 To a N. E. line 30 mi. dist. stands in the line.

## D. No. 14 N.R. No. 17. D. No. Men (Ind.)

- 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec from which a  
 Buck 24 in. dia. bears S 85 W. 24 miles dist; 10  
 Buck 12 in. — — — N 29 E. 33 — —  
 60.20 Top 1 Buck 18 in. dia. bears in the line.  
 80.00 Set a post for the cor. to Secs. 15. 16. 21. 22 T. N.  
 14 N.R. No. 17. From which a  
 Buck 16 in. dia. stands S 37 W. 15 miles dist; 10  
 Sugar 12 in. — — — N 38 E. 42 — —  
 Description omitted

- East On a Random line between Sec. 15. 22 T. N. 14  
 N.R. No. 17.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec. From  
 which a  
 79.59 Intersect the N. & S. line 53 miles S. of the post.  
 Set for the cor. to Secs. 14. 15. 22. 23. Secs. 16  
 under which; Intersect same as on the last mile;

- West On the true line between Sec. 15. 22. T. N. 14 N.  
 R. No. 17.  
 Set the temporary post at the cross over cut on the  
 true line for the cor. to  $\frac{1}{4}$  sec. From which  
 39.80 Buck 12 in. dia. bears N 83 E 24 miles dist;  
 Sugar 18 in. — — — S 56 W. 27 — —  
 79.59 To the post set for the cor. to Secs. 15. 16. 21. 22  
 July 7<sup>th</sup>. 1820.

- North Between Secs. 15. 16. D. No. 14 N.R. No. 17.  
 14.71 Top Sugar 16 in. dia. stands in the line.  
 29.00 Top Buck 6 in. — — — — —  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec from which a  
 Buck 11 in. dia. stands N 46 W. 13 miles dist; 10  
 Ho 12 in. — — — N 32 E. 26 — —  
 55.94 Iron Elm 30 in. dia. stands in the line.  
 80.00 Set a post for the cor. to cor. to Secs. 9. 10. 15. 16.  
 from which a 77 Oak 36 in. dia. stands S 80 E.



2<sup>d</sup> No 14 N.R. No 17. 2<sup>nd</sup> Men (Ind.)

28 buike disb; and a Buck 14 in dia bears N 51 W  
28 a — Sande hard ando rich; Timber Buck  
Sugar Ash, Oak, ando Walnut;

East On a Random line between Sep. 10. & 15. I. No 14  
N.R. No 17.

38.00 Iron Buck 6 miles side; Corner of W.

40.00 Set a trap post for the cor. to '4 sec.

79.61 Intersect the N. 13 line 60 buike N. of the post  
Set for the cor. to Sep. 10. 11. 14. 15. Sande soil  
timber same as on the last mile;

West On a true line between Sep. 10. & 15. I. No 14 N.  
R. No 17

39.80 Set the trap post at the cor. dist on the true line  
line for the cor. to '4 sec. from which a  
Buck 20 in. dia bears N 3 E. 23 buike disb; to  
do 24 in — — S 80 E. 28 a —

79.61 To the post set for the cor. to Sep. 10. 11. 14. & 15.

North Between Sep. 9. & 10. I. No 14 N.R. No 17.

25.00 Iron Buck 24 in dia stands in the line.

40.00 Set a post for the cor. to '4 sec. from which a  
Buck 10 in dia. stands N 17 E — make disb; to  
do 14 in — — S 52 W 39 in —

58.57 Iron Buck 16 in. dia stands in the line.

80.00 Set a post for the cor. to Sep. 3. 4. 9. 10. from  
which a Sugar 28 in. dia stands N 54 W 15 buike  
disb; to Buck 10 in — — S 15 E. 20 in —  
Sande soil ando timber as on the last mile.

East On a Random line between Sep. 3. & 10. I. N. No  
17.

40.00 Set a trap post for the cor. to '4 sec.

79.69 Intersect the N. 13 line 69 buike N. of the post  
Set for the cor. to Sep. 3. 4. 9. 10. Sande as before.



T. No 14 M.R. No 1713 2<sup>nd</sup> 2<sup>nd</sup> Mar. (Ind. 20)

- West On the true line between Secs 3 & 10. T. No 14 N. R. No 171.  
 39.84 Set the temporary post at the corner of the true line.  
 From which a N. Walnut 10 mi. dia. bears N 67 W  
 12 miles west; to N Oak 10 " " " S 19 E.  
 10 " " "
- 79.69 To the post set for the cor. to sec 3. 4. 9. 10.

- North Between Secs 3 & 4. T. No 14 N. R. No 171.  
 20.56 To a N. Oak 16 mi. dia. stands in the line.  
 40.00 Set apart for the cor. to 1/4 Sec. from which a  
 N. Oak 24 mi. dia. bears S 56 W. 32 miles west; to  
 N Oak 18 " " " N 79 E. 31 " " "
- 62.00 To a N Oak 12 mi. dia. stands in the line.  
 74.94 Enter into the N. boundary of T. No 14 N. R. No 171.  
 60 miles East of the post set for the cor. to sec 3. 24  
 T. No 15 N. R. No 171 and set apart for the cor. to  
 Secs 3 & 4. T. No 14 N. R. No 171 from which a  
 N Oak 24 mi. dia. bears S 44 W. 9 miles west; to  
 Sugar 14 " " " S 29 E. 38 " " "
- Sand and timber same as in the last mile;  
 July 10. 1820.

- North Between Secs 32, & 33. T. No 14 N. R. No 171.  
 20.05 To a N Oak 12 mi. dia. stands in the line.  
 40.00 Set apart for the cor. to 1/4 Sec. from which a  
 N. Oak 50 mi. dia. bears N 60 E. 34 miles west; to  
 N Oak 12 " " " N 53 W. 36 " " "
- 65.79 To a N Oak 50 miles dia. stands in the line.  
 80.00 Set apart for the cor. to sec 28, 29, 32 & 33. from  
 which a N. Oak 40 mi. dia. stands S 57 W. 33 miles west  
 and to N Oak 10 " " " N 32 E. 14 " " "
- Sand and timber same as in the last mile;  
 N Oak, Sugar, & N Oak, and Sugar  
 N Oak, Sugar, & N Oak, and Sugar

East On a random line between Secs 28 & 33. T. No

479

T. & 14 N.H. No 77. 2nd Mer. Ind.

14. N.H. No 177.

- 40.00 Got a tumpst post for the cor. to pt. Sec.  
 79.46 Intersected the N.S. line 28 miles N. of the post set  
 for the cor. to Sec. 27, 28, 33 & 34.  
 Sand soil and timber same as on the last mile;

- West On the true line between Sec. 28 & 33. T. & 14 N.H.  
 No 177.  
 39.73 Set the tumpst post at the corner on the true  
 line for the cor. to pt. Sec. from which a  
 Beck 12 mi. air bears S 68° 16' W. 16 miles dist; 10  
 10 10 " " " N 14 E. 13 " "  
 79.46 To the post set for the cor. to Sec. 28, 29, 33 & 32.

- North ~~Between~~ Sec. 28 & 29. T. & 14 N.H. No 177.  
 22.61 To the post set for the cor. to  
 40.00 Set a post for the cor. to pt. Sec. from which a  
 N. Oak 12 mi. air bears S 68° 17' 25" W. 25 miles dist; 10  
 N. Oak 18 " " " N 42 E. 26 " "  
 51.61 To an Elm 16 mi. air bears on the line.  
 80.00 Set a post for the cor. to Sec. 20, 21, 28 & 29 from  
 which a Beck 16 mi. air bears S 67 E. 34 miles  
 dist; to N Oak 40 " " " S 80° 17' 55" W.  
 Sand soil and timber same as on the last  
 mile;

- East On a Random line between Sec. 21 & 28 T. & 14  
 N.H. No 177  
 40.00 Got a tumpst post for the cor. to pt. Sec.  
 79.44 Intersected the N.S. line 34 miles N. of the post  
 set for the cor. to Sec. 21, 22, 27 & 28.  
 Sand soil and timber same as on the last mile.

- West On the true line between Sec. 21 & 28 T. & 14 N.H. No  
 177.  
 39.77 Set the tumpst post at the corner on the true line

*T. N. 14 N. R. No 17. 2nd Mer (Ind. a)*

For the cor. to 1/4 Sec. from which a  
R. Oak 10 in dia. bears N 34 W. 39 miles dist;  
N. Elm 20 ~ ~ ~ S 11 E. 42 ~ ~  
79.44 To the post set for the cor. to Sec. 20, 21, 28, 29.

North Between Sec. 20 & 21. T. N. 14 N. R. No 17.  
20.10 To a N. Elm 24 in. dia. stands in the line.

40.00 Set a post for the cor. to 1/4 Sec. from which an  
B. Oak 24 in. dia. bears S 82 E. 21 miles dist; to  
R. Oak 12 ~ ~ ~ S 71 W. 19 ~ ~

54.97 To a Buck 12 in dia. stands in the line.

80.00 Set a post for the cor. to Sec. 16, 17, 20, & 21. from  
which a Buck 20 in dia. bears N 25 E. 27 miles  
dist; to No 24 ~ ~ ~ N 47 W. 49 ~ ~  
~ Sand pit and timber same as on the last line

East On a Run north line between Sec. 16 & 21. T. N. 14  
N. R. No 17.

40.00 Set a temporary post for the cor. to 1/4 Sec.

57.50 To a Brook 10 miles wide; course S.

79.47 Enter onto the N & S line 26 miles North of the  
post set for the cor. to Sec. 13, 16, 21, 22.

Land N. 1/2 mile good 2nd grade; 2nd 1/2 very  
good; Timber of all kinds.

West On the true line between Sec. 16 & 21. T. N. 14 N.  
R. No 17.

39.73 Set the temporary post at the corner west on the true line  
for the cor. to 1/4 Sec. from which a

Buck 14 in. dia. bears N 47 W. 16 miles dist; to  
No 20 ~ ~ ~ N 80 E. 33 ~ ~

The above mentioned Brook appears to have  
dried up after passing this line

79.47 To the post set for the cor. to Sec. 16 & 21.  
July 11. 1820.

T. No 14. N.R. No 177. 2<sup>nd</sup> Men (Ind.?)

North Petroun Jul. 16. &amp; 17. T. No 14. N.R. No 177.

18.06 To a Buck 15 mi. via Stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which an  
Cedar 8 mi. via bears S 23 7/8. 34 miles out;

N. Ash 18 " " " N 35 E. 6 " "

66.66 To a Buck 16 mi. via Stands in the line.

81.00 Set a post for the cor. to sec. 8. 9. 16. 17 from which  
a Buck 20 mi. via Stands S 6 E. 29 miles outside

Buck 18 " " " N 39 7/8 W 16 " "

Sund soil and timber as before

East On a Random line between Jul. 9. &amp; 16 T. No 14. N.R. No 177

40.00 Set a temporary post for the cor. to 1/4 sec.

79.46 Enter onto the N & S line 29 miles North of the  
post set for the cor. to sec. 9. 10. 15. 16.

Sund soil and timber same as the last mile.

West Corrected between Jul. 9. &amp; 16. T. No 14. N.R. No 177.

39.73 Set the temporary post at the aver. dist on the true line  
for the cor. to 1/4 sec. from which a

W Ash 14 mi. via bears S 11 7/8. 34 miles out; &amp;c

Buck 20 " " " S 36 7/8. 25 " "

79.46 To the post set for the cor. to sec. 8. 9. 16. &amp; 17.

Rather a damp day; it only comes down in  
small brooks.

North Petroun Jul. 8. &amp; 9. T. No 14. N.R. No 177.

20.67 To a W Elm 12 mi. via Stands in the line

40.00 Set a post for the cor. to 1/4 sec. from which a  
Alder 10 mi. via Stands N 37 7/8. 13 miles out;

Buck 18 " " " S 43 E. 29 " "

62.20 To a Blue Ash 18 mi. via Stands in the line

81.00 Set a post for the cor. to sec. 4. 5. 8. 9. from  
which a W Elm 28 mi. via bears N 46 7/8 W 46



T. N<sup>o</sup> 14 N.R. N 77 2 m. 00 Mer (Laid?)

Make ditch; made a Burr Oak, 28 in. dia. base  
S 24 E. 20 miles dist; Laid ditch; Laid good

East On a Random line between Sep. 4. & 9. T. N<sup>o</sup> 14 N.R.  
N. N<sup>o</sup> 17.

40.00 Set a temporary post for the cor. to 1/4 sec.

79.39 Enter into the N & S line 31 miles N. of the first post  
for the cor. to Sep. 3. 4. 9 & 10.

Laid best land ditch; Laid good.

West On the true line between Sep. 4. & 9. T. N<sup>o</sup> 14 N.R.  
N<sup>o</sup> 17.

39.69 Set the temporary post at the corner ditch on the true line  
for the cor. to 1/4 sec. from which a

Burr 16 in. dia. base S 78 E. 22 miles dist; & a  
B. Oak 28 in. dia. base S 83 W. 11 in. dia.

79.39 To the first post for the cor. to Sep. 4, 5, 8, 9.

North Between Sep. 4. & 5 T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 17.

17.83 To a Burr 16 in. dia. stands in the line.

20.00 Set a post for the cor. to 1/4 sec. from which a

Burr 16 in. dia. base S 27 W. 12 miles dist; & a

do 14 in. dia. base N 9 E. 30. in. dia.

61.00 To a Sugar 14 in. dia. stands in the line.

74.71 Enter into the North boundary of T. N<sup>o</sup> 14 N.R.

N. N<sup>o</sup> 17. 66 miles East of the first post for the  
cor. to Sep. 32, & 33. T. N<sup>o</sup> 15 N.R. N<sup>o</sup> 17.

made set a post for the cor. to Sep. 4. & 5. from which

a Burr 24 in. dia. base S 34 W. 9 miles dist; to

Syrup 30 in. dia. base N 70 E 18 in. dia.

July 12<sup>th</sup> 1820

North Between Sep. 31. & 32 T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 17.

18.28 To a Burr 18 in. dia. stands in the line

40.00 Set a post for the cor. to 1/4 sec. from which a

B. Oak 18 in. dia. base N 76 W. 13 miles dist.

S. N. 14 N.R. N. 17. 2nd Mer. S. d.

W. Ash 9 in. dia. base S 46 W. 23 miles dist; 1  
 61.00 Iron W. Elm 18 in. dia. stands on the line  
 80.00 Set a post for the cor. to the ~~line~~ from which  
 30, 31, & 32 from which a  
 W. Elm 12 in. dia. base S 53 W. 10 miles dist; 10  
 W. Elm 18 " " " N 46 E. 40 " "  
 Sando level on dogwoods; Junco Bush, Pigeon, & Elm  
 Oak, Apple, & M. Spruce.

East On a random line between S. 29, & 32 S. N. 14  
 N. 17. N. 17.  
 40.00 Set a temporary post for the cor. to the line from which  
 79.64 Enter onto the N. 13 line 51 miles N. of the post set  
 for the cor. to S. 28, 29, 32, & 33. Sando and timber  
 same as on the last mile.

West On the true line between S. 29, & 32 S. N. 14 N.  
 N. 17.  
 39.82 Set the temporary post at the above dist. on the true line  
 for the cor. to the line from which a  
 Sycamore 12 in. dia. base N 40 E. 13 miles dist; 10  
 W. Elm 15 " " " S 74 W. 16 " "  
 79.64 Set the post set for the cor. to S. 29, 30, 31, & 32

West Between S. 30, & 31 S. N. 14 N.R. N. 17.  
 20.74 Iron Hickory 18 in. dia. stands on the line.  
 40.00 Set a post for the cor. to the line from which a  
 Hickory 18 in. dia. base S 33 E. 14 miles dist; 10  
 W. Elm 28 " " " N 42 E. 32 " "  
 67.50 Enter onto the W. boundary of Town 14 N. R. N.  
 17. 49 miles N. of the post set for the cor. to S.  
 25, & 36. S. N. 14 N.R. N. 17. and set a post  
 for the cor. to S. 30, & 31 from which a  
 W. Oak. 48 in. dia. base S 46 E. 3 miles dist; 10  
 W. Elm 14 " " " N 67 W. 12 " "  
 Description Omitted

T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 17. 2<sup>nd</sup> Mer (Ind<sup>o</sup>)North Return Lat. 29. 30. T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 17.

20.17 Lat N. Oak 18 mi. dia. stands in the line

40.00 Set a post for the cor. to pt. sec. from which a  
N. 24 mi. dia. line S 14 E. 23 miles dist; to  
Sunn 12 a m m N 87. 14 a m m

55.18 Lat N. Oak 18 mi. dia. stands in the line.

80.00 Set a post for the cor. to Lat 19. 20. 29. 30 from  
which a N. Oak 12 mi. dia. stands S 65 E. 16 miles dist;  
and a Br. Oak 20 a m m S 33 77 20 a m m  
Sunde set and timber same as in the last mileEast On a R. line between Lat. 21. 29. T. N<sup>o</sup> 14 N.  
R. N<sup>o</sup> 17

40.00 Set a post for the cor. to pt. sec. temp.

79.70 Introduce the N. & S. line 54 miles N. of the post set  
for the cor. to Lat. 20. 21. 28 & 29

Sunde set and timber same as in the last mile

West On the true line between Lat. 20. 29. T. N<sup>o</sup> 14 N.  
R. N<sup>o</sup> 1739.85 Set the temp. post at the cor. dist. on the true line  
for the cor. to pt. sec. from which aBuckeye 10 mi. dia. line S 82 E. 21 miles dist; to  
Beck 14 a m m N 39 77. 16 a m m

79.70 To the post set for the cor. to Lat. 19. 20. 29. 30

West Return Lat. 19. 30. T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 17

18.74 Lat at Beck 18 mi. dia. stands in the line

40.00 Set a post for the cor. to pt. sec. from which a  
N. 12 mi. dia. line S 19 E. 24 miles dist; to  
Sunn 10 a m m N 80 E. 9 a m m67.12 Introduce the N. Boundary of T. N<sup>o</sup> 14 N.R. N<sup>o</sup>  
17. 79 miles North of the post set for the cor. to Lat  
24. 25 T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 17 made set a post  
for the cor. to Lat. 19. 30 from which a  
N. Oak 30 mi. dia. line S 44 E. 25 miles dist; to

T. N. 14 N.R. N. 17. 2<sup>nd</sup> 16 Mer. End.<sup>a</sup>)

Buck 15 in. dia. bore S 12 W. 38 miles dist;  
Description omitted August. 4. 1820.

North Return Sat. 19. & 20. T. N. 14 N.R. N. 17.  
20.24 To a Buck 16 in. dia. stands in the line.  
40.00 Set a post for the cor. to 14 sec. from which a  
Buck 14 in. dia. bore N 57 W. 9 miles dist; to  
Do 16 " " " N 80 E. 25 " "  
58.60 To a Buck - in dia. stands in the line  
80.00 Set a post for the cor. to Sec. 17. 18. 19. 20 from which  
a Buck 16 in. dia. bore N 74 E. 15 miles dist; to  
Do 18 " " " S 20 W. 18 " "  
Lands and Timber as before

East On a Newcomen line between Sat. 17. & 20. T. N. 14  
N.R. N. 17. 41  
40.00 Set a post for the cor. to 14 sec. temp.  
79.66 Enter into the N. & S. line 59 miles N. of the post  
set for the cor. to Sat. 16. 17. 20. & 21. Lands and tim-  
ber same as on the last mile;

West On the true line between Sat. 17. & 20. T. N. 14  
N.R. N. 17.  
39.88 Set the temp. post at the cor. dist. on the true  
line for the cor. to 14 sec. from which a  
Buck 16 in. dia. bore N 65 E. 27 miles dist; to  
Do 12 " " " S 65 W. 50 " "  
79.66 To the post set for the cor. to Sat. 17. 18. 19. 20.

West Return Sat. 18. & 19. T. N. 14 N.R. N. 17.  
18.50 To a Buck 20 in. dia. stands in the line.  
40.00 Set a post for the cor. to 14 sec. from which a  
Buck 10 in. dia. bore N 68 E. 17 miles dist; to  
Do 10 " " " S 39 W. 20 " "  
66.98 Enter into the W. Boundary of T. N. 14 N.R. N. 17.  
116 miles N. of the post set for the cor. to Sec. 13 & 24



I. N<sup>o</sup> 14 N.R. N<sup>o</sup> 177. 2<sup>nd</sup> Mer. Chas.

I. N<sup>o</sup> 14 N.R. N<sup>o</sup> 277, and set a post for the cor. to Sub. 18. & 19. I. N<sup>o</sup> 14 N.R. N<sup>o</sup> 177. From which a Tree 16 in dia. bears West 6 miles dist., under No. 14 n n ~ S27 E 30 n ~ Shade soil timber and so forth as before

North Between Sub. 17. & 18. I. N<sup>o</sup> 14 N.R. N<sup>o</sup> 177.  
 18.64 To a Tree 18 in dia. stands on the line.  
 44.00 Set a post for the cor. to 1/4 sec. From which a Tree 16 in dia. bears S 74 W. 14 miles dist.; on Dogwood 6 n n ~ S22 E 26 n ~  
 60.26 To a Tree 16 in dia. bears on the line.  
 80.00 Set a post for the cor. to Sub. 7. 8. 17. 18. From which a Tree 12 in dia. bears S 37 N. 20 miles dist., under a Tree 18 n n ~ N 70 W 25 n ~  
 Shade soil and timber omitted

East On a Random line between Sub. 8. & 17. I. N<sup>o</sup> 14 N.R. N<sup>o</sup> 177.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 79.72 Intersected the N. & S. line 61 miles N of the post set for the cor. to Sub. 8. 9. 16. & 17. Shade soil and timber as before

West On the true line between Sub. 8. & 17. I. N<sup>o</sup> 14 N.R. N<sup>o</sup> 177.  
 39.86 Set the temporary post at the cor. dist. on the true line for the cor. to 1/4 sec. From which a Tree 10 in dia. bears N 78 E 17 miles dist., on Dogwood 8 n n ~ S 16 E 39 n ~  
 79.72 To the post set for the cor. to Sub. 7. 8. 17. & 18.

West On the true line between Sub. 7. & 18. I. N<sup>o</sup> 14 N.R. N<sup>o</sup> 177.  
 18.00 To a Tree 60 in dia. stands on the line.  
 44.00 Set a post for the cor. to 1/4 sec. From which a

*T. N. 14. N.R. N. 17. 2<sup>nd</sup> Mer. Chas.*

1 Beek 14 in. dia. base N 14 E 16 hanks dist; to  
 66.84 Inters. to a 4th N. (Bounded) of T. N. 14. N.R. N. 17.  
 183 hanks N. of the post set for the cor. to lat. 125  
 13. N.R. N. 2. N. under set a post for the cor. to  
 lat. 7. & 18. T. N. 14. N.R. N. 17. from which a  
 1 Beek 24 in. dia. base S 64 E. 40 hanks dist; to  
 10 " " " N 39 W. 25 " "  
 Same soil and timber same as before;

North Return lat. 7 & 8. T. N. 14 N.R. N. 17.  
 20.00 To a Beek 18 in. dia. stands on the line  
 40.00 Set a post for the cor. tipped from which a  
 1 Beek 12 in. dia. base N 31 W. 18 hanks dist; to  
 10 18 " " " S 28 E. 28 " "  
 60.62 To a Beek 18 in. dia. stands on the line.  
 80.00 Set a post for the cor. to lat. 5. 6. 7. 8. from which a  
 1 Beek 18 in. dia. base N 54 W. 19 hanks dist; to  
 10 12 " " " S 34 E. 25 " "  
 Same timber soil timber to same as on the last  
 mile August 5<sup>th</sup> 1820.

East On a Random line between lat. 5. & 8. T. N. 14 N.  
 N. N. 17.  
 40.00 Set a temporary post for the cor. tipped.  
 79.64 Inters. to the N. & S. line 64 hanks N. of the post  
 set for the cor. to lat. 4. 5. 8. 9. Same soil timber  
 to same as on the last mile;

West On the true line between lat. 5. & 8. T. N. 14 N.R. N.  
 17.  
 39.82 Set the temporary post at the even dist on the true line for  
 the cor. to the true from which a  
 Shipping Elm 8 in. dia. base S 65 W. 15 hanks dist; to  
 N. Walnut 9 " " " N 36 E. 47 " "  
 79.64 To the post set for the cor. to lat. 5. 6. 7. 8.

T. N<sup>o</sup> 14. N.R. N<sup>o</sup> 17. 2<sup>nd</sup> 7<sup>th</sup> Mer (Ind.)

- West Betroun Sub! 6. & 7. T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 17.  
 21.82 To a W. Oak 24 in. dia. Stands on the line.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 W Oak 30 in. dia. bears N 12 E. 16 miles dist; to  
 Sugar 10 a n n S 157 N. 58 a n n  
 65.89 Intn enters the W. Boundary of T. N<sup>o</sup> 14 N.R.  
 N.R. 17. 25.1 miles N of the first set for the  
 cor. to cor. 1. & 12. T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 17. and  
 set a post for the cor. to cor. 6. & 7. T. N<sup>o</sup> 14 N.R.  
 N<sup>o</sup> 17. from which a  
 Sugar 8 in. dia. bears S 13 E 15 miles dist; to  
 Sugar 12 a n n N 147 N. 17 a n n  
 Sand & soil and timber same as on the last mile

- North Betroun Sub! 5. & 6. T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 17.  
 22.50 To a Sugar 24 in. dia. Stands on the line.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Sugar 24 in. dia. bears S 84 N. 29 miles dist; to  
 Sawwood 8 a n n N 89 E. 18 a n n  
 55.00 To a Spring Branch - between the corner N.  
 62.00 To a W. Oak 12 in. dia. Stands on the line.  
 74.78 Intn enters the W. Boundary of T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 17.  
 91 miles E of the post set for the cor. to cor. 31 & 32  
 T. N<sup>o</sup> 15 N.R. N<sup>o</sup> 17. and set a post for the cor.  
 to cor. 5. & 6. T. N<sup>o</sup> 14 N.R. N<sup>o</sup> 17. from which a  
 Oak 24 in. dia. bears S 23 E. 33 miles dist; to  
 Ho 15 a n n N 27 N. 28 a n n  
 Sand & soil and timber same as on the last mile  
 August 6<sup>th</sup>. 1820.

Surveyed by  
 Stephen Collette L. S.

N<sup>o</sup> 14. N.R. N<sup>o</sup> 1 N.P. 2<sup>nd</sup> Mer Ind.

I certify that the foregoing transcript of the  
Field notes of Township N<sup>o</sup> 14. North, of Range  
N<sup>o</sup> 1 West of the 2<sup>nd</sup> Mer. Indiana, has been  
compared with the Original notes in this Office,  
and found to be correct.

Surveyor General's Office,

Cincinnati Dec. 14<sup>th</sup> 1839

E. S. Rains  
Sur. Gen.